

बिहार सरकार
कृषि विभाग।
कार्यालय संयुक्त निदेशक (शष्प), भागलपुर प्रमंडल, भागलपुर।
निविदा आमंत्रण

अल्पकालीन निविदा संख्या-01/2014-15

भागलपुर प्रमंडल के विभिन्न नवनिर्मित ई-किसान भवनों यथा भागलपुर/बांका/ जिला में उपयोग हेतु विभिन्न श्रेणी के सामग्रियों/उपकरणों की आपूर्ति हेतु दो बोली प्रणाली के अन्तर्गत **BIS/ISO Mark** के अनुरूप प्रतिष्ठित निर्माताओं/अधिकृत विक्रेताओं/आपूर्तिकर्ताओं से मुहरबंद निविदा निबंधित डाक/स्पीड पोस्ट/कुरियर/स्वयं/प्रतिनिधि के माध्यम से दिनांक 15.01.2015 तक आमंत्रित किये जाते हैं।

क्र०	सामग्री का नाम	प्रति ईकाई सामग्रियों की संख्या	कुल सामग्रियों की संख्या	तकनीकी विशिष्टियाँ
1	Table	6	30	TABLE-Overall size 4'6"(L)x2'6"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof
2	Table	1	5	TABLE-Overall size 5'(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel sruare tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof
3	Table	1	5	TABLE-Overall size 5'6"(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel sruare tube of DIA 25mm.Drawers both side with locks mild steel or PLB Modesty panel of appropriate thickness is must. All steel components should be painted properly to make it rustproof
4	Table	3	15	TABLE-Overall size 4"(L)x2"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof
5	Computer table	2	10	TABLE-Overall size 4 x 2" Top made of 18 mm thick pre laminated particle board and under structure made of mild steel rectangle tube for good strength. Also fitted with CPU holding platform and KBPT (KEYBOARD pull out tray) All steel components should be painted properly to make it rustproof
6	Dining Table	1	5	Overall size 5' x 3' Oval shaped made of teak wood frame table top 19 mm thick ply matt finish, mica pasted of 0.8mm thickness. Lgs 2.5" x2.5" thick patti-3" x 1.25" thick
7	Chair	3	15	Mid back revolving chair with pneumatic height adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU (POLLY Urethane) foam followed by good quality fabric and PVC Lipping around edegs. Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors
8	Chair	1	5	High back revolving chair with penumatic hight adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric and PVC lipping around edges.Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors
9	Chair	52	260	Simple non revolving chair with arm seat and back are made of 1 cm. thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric . Under structure assembly is a cantilever type main frame of dia 25mm approx.MS ERW tube
10	Computer chair	2	10	Mid back revolving chairs with arms . Seat and back made of hot pressed plywood covered with PU foam and fabric. Base of the chair 5 nons. Twin wheel casters.
11	Dining Chair withour Arm	4	20	Chair without arm made of teak wood frame. Sitting top 19mm thick ply matt finish. Mica pasted of 0.8mm thickness. Seat size 18"x18". Legs 2"x1.5" thick
12	Almirah	4	20	Almirah with plain 4 shelves. Overall Size 78"x36"x18" approx made of prime quality CR sheets, multi bend construction spot welding and CO2 welding, anti-rust treated components. Material thickness 20G. Shelves thickness 22G and should be adjustable. Full length overlapping doors fitted with good quality lock and handle.

13	Book shelf	1	5	Four door book self with separate locks and handles. All the four doors fitted with 3MM thick glass. Doors with cross mechanism for easy opening and closing . Overall size 72"x36"x15'. Made of prime quality CRCA sheets ,multi bend construction. Material Thickness 22G.
14	Plastic Chair	100	500	Chair with Arm made of branded virgin plastic.
15	Trunk (Box)	5	25	Made of 40 mm TATA galvanised sheet. Overall size 4'x2.5'x2.5',fitted with handles on both sides
16	White Board (8' x 4')	1	5	White magnetic boards of size 8' x4' with all fittings for hanging
17	Plung	2	10	Size 6.5' x 3' frame made of teak wood. 12mm branded ply board on top. Patti of size 4" x 1.25" thick. Legs 3" x 2" thick. Head side height from the ground 24" and leg side height 18".
18	Maitress	2	10	Branded quire mattress 78" x 36" x 4".
19	Bench	2	10	Three seater bench made of mild steel rectangular tube. Legs and arms should be chrome plated, made of CR steel of 1.2mm thickness. Seat and Back are perforated shell of CRMS sheet, assembled on cross beam
20	Bed Sheet	4	20	Single bed sheets,branded fine cotton.
21	Bucket With Mug	2	10	Bucket With mug of 20L capacity made of branded virgin plastic with 1 no. mug of capacity 1.5L

निविदा की शर्त :-

1. निविदा दो अलग-अलग मुहरबन्द लिफाफो में होगी जिसमें एक पर तकनीकी निविदा तथा दूसरे पर वित्तीय निविदा अंकित किया जाएगा। दोनों लिफाफों को एक तीसरे बड़े लिफाफे में रखकर एवं मुहरबंद कर समर्पित करना होगा।
2. तकनीकी निविदा के साथ संयुक्त निदेशक (शष्य), भागलपुर के नाम से भुगतये 150000.00 (एक लाख पचास हजार) रू0 मात्र का बैंक ड्राफ्ट/बैंकर्स चेक अग्रधन राशि के रूप में संलग्न करना होगा।
3. निविदा संयुक्त निदेशक (शष्य), भागलपुर, कृषि भवन परिसर, तिलकामाँझी, भागलपुर, बिहार के पता पर समर्पित किया जायेगा।
4. निविदा दिनांक 15.01.2015 को 2:00 बजे अपराहन्न तक प्राप्त किए जाएं तथा उसी दिन 3:00 बजे अपराहन्न निविदादाताओं/उनके द्वारा प्राधिकृत प्रतिनिधियों के समक्ष अधोहस्ताक्षरी के कार्यालय कक्ष में सार्वजनिक तौर पर खोली जायेगी।
5. सर्वप्रथम तकनीकी निविदा खोली जायेगी। तकनीकी निविदा में सफल निविदादाताओं को ही वित्तीय बोली (निविदा) खोली जायेगी।
6. निविदादाताओं को तकनीकी निविदा के साथ आयकर तथा विक्री कर/पेशाकर का निबंधन तथा अद्यतन कर चुकता प्रमाण पत्र संलग्न करना अनिवार्य होगा साथ ही निविदादाता को अपने फर्म से संबंधित तीन वर्षों का अंकेक्षण प्रतिवेदन/काली सूची में दर्ज नहीं होने का प्रमाण-पत्र समर्पित करना होगा।
7. उपस्करों की आपूर्ति हेतु संबंधित सामग्रियों के अधिकृत तथा निबंधित निर्माता/विक्रेता/आपूर्तिकर्ता ही निविदा समर्पित कर सकते हैं।
8. उपस्करों/सामग्रियों को भागलपुर प्रमण्डल के अधीन विभिन्न प्रखंडों में नव निर्मित ई-किसान भवनों में स्थापित करना/पहुँचाना होगा।
9. सफल निविदादाताओं को आपूर्ति आदेश निर्गत होने की तिथि से एक माह (30 दिन) के अन्दर सामग्रियों की आपूर्ति करनी होगी।
10. आपूर्ति आदेश का निर्गमन एवं भुगतान संबंधित जिलों के जिला कृषि पदाधिकारी के द्वारा किया जायेगा।
11. किसी भी निविदा या सभी निविदाओं को आंशिक या पूर्ण रूप से बिना कारण बताए अस्वीकृत करने का पूर्ण अधिकार अधोहस्ताक्षरी को सुरक्षित होगा।
12. किसी तरह की कानूनी मतभेद का निपटारा भागलपुर स्थित अदालत में होगा।
13. वाणिज्य कर विभाग के निर्देशानुसार विक्री कर की राशि आपूर्तिकर्ता को नहीं देकर संबंधित जिला कृषि पदाधिकारी द्वारा काटकर संबंधित कोषागार में जमा किया जायेगा।
14. वित्तीय निविदा में प्रतिष्ठान अपने लेटर पैड पर संस्थान द्वारा निर्गत सामाग्रियों की सूची में दिए गए विशिष्टताओं के साथ प्रति इकाई दर (सभी देय करों एवं संबंधित ई-किसान भवन तक पहुँचाने तथा आवश्यकताअनुसार प्रदर्शन व्यय के साथ) अंकित करेंगे। अंकित दर के अतिरिक्त किसी प्रकार का अधिभार अथवा शुल्क देय नहीं होगा।
15. निविदादाताओं को सामग्रियों के नमूने क्रय समिति के समक्ष प्रस्तुत करने होंगे।
16. त्रुटिपूर्ण तथा निर्धारित अवधि के बाद प्राप्त निविदा पर विचार नहीं किया जायेगा।

17. आपूर्ति की गई सामग्रियों की गुणवत्ता जाँच तकनीकी समितियों के द्वारा करने के उपरांत ही विपत्र का भुगतान किया जायेगा। आपूर्ति आदेश के विरुद्ध कोई अग्रिम राशि देय नहीं होगा।
18. निर्धारित समय-सीमा एवं गुणवत्ता युक्त आपूर्ति नहीं करने पर अग्रधन राशि जब्त करते हुए प्रतिष्ठान को काली सूची में दर्ज किया जायेगा।
19. निविदा कागजात www.krishi.bih.nic.in या www.prdbihar.gov.in से डाउनलोड किया जा सकता है। अथवा अधोहस्ताक्षरी के कार्यालय से कार्यालय अवधि में दिनांक 14.01.2015 तक प्राप्त किया जा सकता है।

(रतन कुमार भगत)
संयुक्त निदेशक (शष्य)
भागलपुर प्रमंडल, भागलपुर।
E-Mail-jda-bha-bih@nic.in

अनुलग्नक-1
निविदा हेतु आवेदन प्रपत्र

- 1) निविदा संख्या:-.....
- 2) निविदादाता का नाम :-.....
(प्रतिष्ठान एवं प्रोपराईटर का नाम सहित)
- 3) पिता का नाम:-.....
- 4) पूरा पता:-.....
पिन कोड:-.....
मोबाईल / दूरभाष संख्या / ई-मेल:-.....
- 5) व्यवसाय स्थल का पता:-.....
.....पिन कोड.....
- 6) वैट संख्या:-..... कर चुकता की तिथि.....
- 7) पैन संख्या:-..... आयकर जमा की तिथि..... वर्ष.....
- 8) सेवाकर भुगतान की तिथि.....
- 9) प्राधिकृत व्यक्ति का नाम एवं पता:-.....
- 10) प्राधिकृत व्यक्ति हस्ताक्षर:-.....
- 11) विगत तीन वर्षों से व्यवसाय का विवरण

वर्ष	टर्न ओवर (लाख में)
2011-12	
2012-13	
2013-14	

12) पूर्व में सरकारी प्रतिष्ठानों में की गयी आपूर्ति का अनुभव:-

क्रम संख्या	वर्ष	सरकारी विभाग/प्रतिष्ठान का नाम	आपूर्ति सामग्रियों का विवरण

13) सुरक्षित जमा राशि का विवरण

- (1) बैंक का नाम.....(2) भुगतये स्थल.....
- (2) ड्राफ्ट की राशि.....(4) निर्गत की तिथि.....
- (5) ड्राफ्ट/चेक का नम्बर एवं तिथि

निविदादाता का हस्ताक्षर

नोट:- साक्ष्य के रूप में प्रासंगिक दस्तावेजों की स्वयं अभिप्रमाणित प्रति आवेदन के साथ संलग्न करें।

अनुलग्नक-2
शपथ-पत्र

- (1) मैं.....(निविदादाता अथवा प्राधिकृत व्यक्ति का नाम, पिता एवं पता) शपथ पूर्व बयान करना हूँ कि :-
- (2) मैं एक प्रतिष्ठित निर्माता/अधिकृत/विक्रेता/आपूर्तिकर्ता हूँ।
- (3) मैं इस व्यवसाय में विगत.....वर्षों से कार्यरत हूँ।
- (4) इस निविदा में अकिंत सामानों की आपूर्ति हेतु मेरे पास पर्याप्त संसाधन उपलब्ध है।
- (5) मुझे किसी भी सरकारी, गैर सरकारी प्रतिष्ठान द्वारा दंडित नहीं किया गया है/काली सूची में नहीं डाला गया है।
- (6) मेरे उपर कोई मुकदमा दर्ज नहीं है या किसी कोर्टि द्वारा दण्डित नहीं किया गया हूँ।
- (7) मैं प्रत्येक वर्ष विक्री कर, सेवा कर तथा आयकर का भुगतान करता हूँ।
- (8) मुझे निविदा की सभी शर्तें स्वीकार्य हैं।
- (9) निविदा प्रपत्र में दी गई सारी सूचनाएँ सत्य हैं।

हस्ताक्षर

अनुलग्नक-3
तकनीकी निविदा का प्रपत्र

क्र०	सामग्री का नाम	माँगी गई विशिष्टियाँ	निविदादाता द्वारा दी जानेवाली विशिष्टियाँ
1	Table	TABLE-Overall size 4'6"(L)x2'6"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
2	Table	TABLE-Overall size 5'(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel square tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
3	Table	TABLE-Overall size 5'6"(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel square tube of DIA 25mm.Drawers both side with locks mild steel or PLB Modesty panel of appropriate thickness is must. All steel components should be painted properly to make it rustproof	
4	Table	TABLE-Overall size 4" (L)x2"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
5	Computer table	TABLE-Overall size 4 x 2" Top made of 18 mm thick pre laminated particle board and under structure made of mild steel rectangle tube for good strength. Also fitted with CPU holding platform and KBPT (KEYBOARD pull out tray) All steel components should be painted properly to make it rustproof	
6	Dining Table	Overall size 5' x 3' Oval shaped made of teak wood frame table top 19 mm thick ply matt finish, mica pasted of 0.8mm thickness. Lgs 2.5" x2.5" thick patti-3" x 1.25" thick	
7	Chair	Mid back revolving chair with pneumatic height adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU (POLLY Urethane) foam followed by good quality fabric and PVC Lipping around edegs. Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors	
8	Chair	High back revolving chair with penumatic hight adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric and PVC lipping around edges.Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors	
9	Chair	Simple non revolving chair with arm seat and back are made of 1 cm. thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric . Under structure assembly is a cantilever type main frame of dia 25mm approx.MS ERW tube	
10	Computer chair	Mid back revolving chairs with arms . Seat and back made of hot pressed plywood covered with PU foam and fabric. Base of the chair 5 nons. Twin wheel casters.	
11	Dining Chair without Arm	Chair without arm made of teak wood frame. Sitting top 19mm thick ply matt finish. Mica pasted of 0.8mm thickness. Seat size 18"x18". Legs 2"x1.5" thick	
12	Almirah	Almirah with plain 4 shelves. Overall Size 78"x36"x18" approx made of prime quality CR sheets, multi bend construction spot welding and CO2 welding, anti-rust treated components. Material thickness 20G. Shelves thickness 22G and should be adjustable. Full length overlapping doors fitted with good quality lock and handle.	
13	Book shelf	Four door book self with separate locks and handles. All the four doors fitted with 3MM thick glass. Doors with cross mechanism for easy opening and closing . Overall size 72"x36"x15'. Made of prime quality CRCA sheets ,multi bend construction. Material Thickness 22G.	
14	Plastic Chair	Chair with Arm made of branded virgin plastic.	
15	Trunk (Box)	Made of 40 mm TATA galvanised sheet. Overall size 4'x2.5'x2.5',fitted with handles on both sides	
16	White Board (8' x 4')	White magnetic boards of size 8' x4' with all fittings for hanging	
17	Plung	Size 6.5' x 3' frame made of teak wood. 12mm branded ply board on top. Patti of size 4" x 1.25" thick. Legs 3" x 2" thick. Head side height from the ground 24" and leg side height 18".	

18	Maitress	Branded quire mattress 78'' x 36'' x 4''.	
19	Bench	Three seater bench made of mild steel rectangular tube. Legs and arms should be chrome platted, made of CR steel of 1.2mm thickness. Seat and Back are perforated shell of CRMS sheet, assembled on cross beam	
20	Bed Sheet	Single bed sheets,branded fine cotton.	
21	Bucket With Mug	Bucket With mug of 20L capacity made of branded virgin plastic with 1 no. mug of capacity 1.5L	

अनुलग्नक-4

वित्तीय निविदा का प्रपत्र

भागलपुर प्रमंडल अन्तर्गत विभिन्न प्रखण्डों में नवनिर्मित ई-किसान भवन में स्थापित कर एवं पहुँचाकर।

क्रमांक	सामान/उपस्कर का नाम	माँगी गई विशिष्टियाँ	भागलपुर प्रमंडल अन्तर्गत विभिन्न प्रखण्डों में नवनिर्मित ई-किसान भवन में स्थापित कर प्रति ईकाई सभी कर सहित
1	2	3	4
1	Table	TABLE-Overall size 4'6"(L)x2'6"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
2	Table	TABLE-Overall size 5'(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel square tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
3	Table	TABLE-Overall size 5'6"(L)x3'(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel square tube of DIA 25mm.Drawers both side with locks mild steel or PLB Modesty panel of appropriate thickness is must. All steel components should be painted properly to make it rustproof	
4	Table	TABLE-Overall size 4" (L)x2"(W) approx. Table made of PLPB (pre laminated particle board) of good quality.Thickness 25mm.Under structure made of mild steel round tube of DIA 25mm.Drawers both side with locks all steel components should be painted properly to make it rustproof	
5	Computer table	TABLE-Overall size 4 x 2" Top made of 18 mm thick pre laminated particle board and under structure made of mild steel rectangle tube for good strength. Also fitted with CPU holding platform and KBPT (KEYBOARD pull out tray) All steel components should be painted properly to make it rustproof	
6	Dining Table	Overall size 5' x 3' Oval shaped made of teak wood frame table top 19 mm thick ply matt finish, mica pasted of 0.8mm thickness. Lgs 2.5" x2.5" thick patti-3" x 1.25" thick	
7	Chair	Mid back revolving chair with pneumatic height adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU (POLLY Urethane) foam followed by good quality fabric and PVC Lipping around edegs. Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors	
8	Chair	High back revolving chair with penumatic hight adjustment. Seat and back made up of 1.2 cm thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric and PVC lipping around edges.Armrests are made of black integral skin poly urethane with appropriate hardness and mild steel insert. Chair should be 360 degree revolving type fitted with 5 nos., twin wheel castors	
9	Chair	Simple non revolving chair with arm seat and back are made of 1 cm. thick hot pressed plywood covered with PU(Poly Urethane) foam followed by good quality fabric . Under structure assembly is a cantilever type main frame of dia 25mm approx.MS ERW tube	
10	Computer chair	Mid back revolving chairs with arms . Seat and back made of hot pressed plywood covered with PU foam and fabric. Base of the chair 5 nons. Twin wheel casters.	
11	Dining Chair without Arm	Chair without arm made of teak wood frame. Sitting top 19mm ply matt finish. Mica pasted of 0.8mm thickness. Seat size 18" x 14" Legs 2"x1.5" thick	

12	Almirah	Almirah with plain 4 shelves. Overall Size 78"x36"x18" approx made of prime quality CR sheets, multi bend construction spot welding and CO2 welding, anti-rust treated components. Material thickness 20G. Shelves thickness 22G and should be adjustable. Full length overlapping doors fitted with good quality lock and handle.	
13	Book shelf	Four door book self with separate locks and handles. All the four doors fitted with 3MM thick glass. Doors with cross mechanism for easy opening and closing . Overall size 72"x36'x15'. Made of prime quality CRCA sheets ,multi bend construction. Material Thickness 22G.	
14	Plastic Chair	Chair with Arm made of branded virgin plastic.	
15	Trunk (Box)	Made of 40 mm TATA galvanised sheet. Overall size 4'x2.5'x2.5',fitted with handles on both sides	
16	White Board (8' x 4')	White magnetic boards of size 8' x4' with all fittings for hanging	
17	Plung	Size 6.5' x 3' frame made of teak wood. 12mm branded ply board on top. Patti of size 4" x 1.25" thick. Legs 3" x 2" thick. Head side height from the ground 24" and leg side height 18".	
18	Maitress	Branded quire mattress 78" x 36" x 4".	
19	Bench	Three seater bench made of mild steel rectangular tube. Legs and arms should be chrome platted, made of CR steel of 1.2mm thickness. Seat and Back are perforated shell of CRMS sheet, assembled on cross beam	
20	Bed Sheet	Single bed sheets,branded fine cotton.	
21	Bucket With Mug	Bucket With mug of 20L capacity made of branded virgim plastic with 1 no. mug of capacity 1.5L	

अनुलग्नक:-5
निविदा करने हेतु चेकलिस्ट
(संबंधित कागजात)

निविदा करने हेतु चेक लिस्ट	चेक बाक्स
150000.00 (एक लाख पचास हजार) की सुरक्षित जमा राशि संलग्न है।	<input type="checkbox"/>
निविदादाता के प्रपत्र के सभी कॉलम को भरा गया है।	<input type="checkbox"/>
वैट रजिस्ट्रेशन, पैन कार्ड, विगत वर्ष का विक्री कर, आयकर, सर्विस टैक्स जमा विवरणी की स्वयं अभिप्रमाणित छाया प्रति संलग्न की गई है।	<input type="checkbox"/>
तकनिकी निविदा में सभी समाग्रियों की विशिष्टताएँ अंकित की गई हैं।	<input type="checkbox"/>
तकनिकी निविदा के लिफाफे में ड्राफ्ट डालकर सीलबंद किया गया है।	<input type="checkbox"/>
वित्तीय निविदा में सामग्रियों के दर के अतिरिक्त कुछ नहीं डाला गया है।	<input type="checkbox"/>
तकनिकी एवं वित्तीय निविदा सहित आवेदन पत्र, शपथ पत्र तथा चेक लिस्ट को एक बड़े लिफाफे में डालकर सीलबन्द किया गया है। इस बड़े लिफाफा के उपर स्पष्ट लिखा हो कि निविदा संख्या 01/2014-15 के लिए निविदा संयुक्त निदेशक (शष्य), भागलपुर प्रमंडल, भागलपुर के नाम से प्रेषित हो तथा लिफाफा की बायी ओर निविदादाता का नाम, पता एवं सर्म्पक दूरभाष/मोबाईल संख्या अंकित हो	<input type="checkbox"/>
शपथ पत्र संलग्न किया गया है। शपथ पत्र दण्डाधिकारी/नोटरी के समक्ष किया गया हो।	<input type="checkbox"/>

निविदादाता का नाम:-

हस्ताक्षर:-

अनुलग्नक-6
सामग्रियों के आपूर्ति हेतु स्थान का विवरण :-

क्र० सं०	जिला का नाम	ई-किसान भवन की संख्या	कुल अनुमान्य राशि (रूपये में)
1	भागलपुर	2	1076000.00
2	बांका	3	1614000.00
	कुल	5	2690000.00

नोट:-सामग्रियों की आपूर्ति स्थल का विवरण जिला कृषि पदाधिकारी द्वारा निर्गत क्रय आदेश में दिया जायेगा।